UTTARA KANNADA

MAJ. HABITAT TYPES

5 X 5 km^2 grids

Total — 498

Based on veg. maps (Fl., P.) &
Topo sheets 1:50,000 (SI)

[illegible]

THESE ARE
LOCALITIES I VISITED
IN UTTARA KANNADA
DISTRICT
WITH DESCRIPTION
OF HABITAT
DATES OF VISIT
(BACKSIDE)

GRID NUMBERS*

* I DIVIDED THE
DISTRICT INTO 450
GRIDS AND TRIED
TO VISIT AS MANY
AS I COULD
SINCE THERE WERE NO
GPS — I HAD TO USE
GRIDS (PTO)

IF YOU
PUT THE
CARDS ACCORDING
TO GRID NUMBERS
YOU WILL
GET AN
IDEA OF
LOCALITIES THAT
ARE
CLOSE TO
EACH
OTHER

MOONDRADAIDU (TINNELVELI)

P. 47, 11

ÄADAR HÄLLI (Angr) (ADRALLI

281

31. 12. '84

AGANASHINI (VILLAGE) 345 (345)

The rain meets 1 sea. Cultivate
fishy village & backwater. ~~to~~
coconut prominent.

1.11.86

AIGOD (siddapur) 2.1.87 399

Pure small ponds ē water pts. seasonal irrigating fields and. look like large wells.

2.1.87

AJJIMANĒ

after Hirē mishi

263

31. 12. 84

AMINALLI

336

— Pathos of [illegible] & degradation —
[illegible] & taught [illegible] to [illegible]

16. 3. 88

ALAGĒRI (BALEGULI, ANKOLA)

275

area to be converted into air strip.

sandy ē cashew + casuarina plm.

scrub + coconut. sea in fore background.

9.4.'87, 21.4.'87

ALUR (DANDELI)

cultivation ē M'dec. just bording

51

2. 12. '87, 8. 1. 88 (

ALVALLI — KATUR FRH

208

ALBALII

— village bet Katur & Bommanalli —

> all cultivated ē dense dry dry fruit ē

tank — paddy in row.

— a continuous strip of ca 3 km from Katur FRH

6.11.87

AMBĀD KERĒ (RESV) HALYAL

38

38

- a large reservoir like Nyasungi etc. ē
  dead trees inside; open water
- bounded by dense dry deciduous forest ē
  bamboo etc.
- Peak plus etc.

3.2.87, 4.2.87

AMBDALLI

254

255

Coastal village; The hills across ē

scrub jungle – dry paddy fields – sandy –

mango trees, cocoanut, pandans along dry

water course, scrub & thicket at ft.

Evelyn, Cashew, Bamboo, < 2m, stroblanthes.

The hills ē unique patch – moss abundant

on rocks – a (dry) stream flowing thro' ē

<u>sterculia</u> <u>alata</u> (big trees & regen); P. hyaltheus.

H. grahami, Tetracomelus, Odina odier, Bombax

etc.

22.4.87 , 23.3.88

AMBE KODAR (254)

– Beach, village ē Lowest, cultivated
ē Sweet, Hill ē Sweet, [illegible]
Forest ē Sheet / [illegible].

31. 3. 88

ANISHI GHAT, (380 m 7MSL) 150-151

150 151

Mixed ungrass & semi-ungrass tract.
Calloplythm dominates on roadside - trees are stunted & thin in the interior. No current disturbance. Possibly cleared long ago. (2.3.'86)

1–3.3.'86;
12.2.88

ANKOLA

292 (292)

— backwater of Gangavally River

c̄ coconut etc.

Cultivation & Town

27. 5. '85
2. 3. 88

ANMOD

(10)

- village on highway to Goa.
  forests [illegible] & [illegible] - [illegible] in places
  good on slopes - cultivation
  & [illegible]
- habitation modern on road side

21.1.88, 23.1.88

AURLI

(103)

— [illegible] [illegible] [illegible] [illegible] to [illegible]

Bamboo type

4.2.88 (3.20 – 3.50 pm)

146

146

BACHANIKE VILLAGE

— big village ē >1000 people

— cultivation & Eucalyptus on hillocks ē degraded thicket type dry dec forest.

— irrigation channel thro' — Bamboo along ledge.

18 – 19.11.'87

BACHENIKÉ RESVR (Mundgod) 21.1.'86

Ca 3 sq km. water thro' out. Bamboo on fringes. Dry.

22.1.'87 – Partly in Dharwad Dist.
Forest nursery. dist background
dry deciduous forest.
Full water –
Cultivation across bund:
Bamboo dense

146
147

146 – 147

21.1.86; 22.1.87; 25.10.86
30.12.86;

380

380

BADAL,

Secondary moist deciduous nature — after Badal village — before Hulathuwagodha. All hills alike. Teak interspersed — Bamboo or undergrowth. Rocky & steep

31. 3. 87, 1. 4. 87

BADDIKERI

164

— dry dec forest ē dense growth & Tall trees — intergrades ē moist forest ē Bamboo (dense) undergrowth.

bet Baddikeri & Gunjavati — dry dec [illegible] to moist dec — dense bamboo — Teak — [illegible] dotted upto ca Gunjavati.

17–18.11.'87

BĀLĒ GULI

275

— after Ankola → Karwar. Paddy fields & Thickets on hills

23 . 9 . '86

BALGAR (AJJIBĀL)

(354)

–

14.3.88 / 17.3.88

BALIKOPPA (siddapur) 2.1.87 (411)

just after, fork to Chandrakutti

small - seasonal ē waterlily etc.

2.1.87

BANDAL GHAT, 351

350 351

Top after IB, 520 m MSL

Evergreen forests good on slopes & valleys.

25.2.88 *

16.3.88

* passing thro'

BANDARA GATTE

348

— Before you after Masti halla

30.12.84

BĀNI (KARWAR) 192

Cultivate ē village & degraded laterite

& rain (Kali)

12.2.88 *

* passing thro'

BARALKOD (RANNAGAR. C'ROCK)

— see — seminar in Pattern.

occasionally dense

12

7.1.88

BARCHI

50

— Moist deciduous forest ē Bamboo &
Arogion — dense forest — Mature.

2. 12. '87

BĀRE

217

– charing c̄ village & eugen forest

and – after Kaige → Yellapur

1.3.88

BARGADDA HALLA

170

- Interior fruits towards Goyan.
Oldest teak pl? no signs of old trees
what remain may be 30/< yrs old
forest mostly adjacent - see ē bamboo
on hills dense.
- river along it, village ē cultivated.

25.2.88 (7.45 – 11.45 a.m.)

BARGI

345

— road to Ankola — degraded forests on hills

ē thickets — paddy fields

23. 9. '86
25. 2. 88 *

* passing thro

BARTHNALLI 8.1.87 (247)

- Large perennial tank ē cultivation on one end. Areca bounding. Floating pls — Pistia, Trapa, Nymphoides, Nymphaea etc. Forest on one side.

- Moist deciduous forest ē tall scarcely mature trees.
- Temperature undergrowth dense
- Barbos dense bounding 1 tank. Farther end of tank silted ē Asteracanthus, polygonum etc & cultivation

8.1.87 ; 9.1.87

BASALLI, (SANTEGULI, BADAL)

— secondary moist dec forest c̄ density of trees low (thin) — bamboo profuse at the ft & along edges — strobilates on floor.

380

— Xylia — Lagerstrom — dominant. Dry.

— all hills irrespective of aspect have 11h vegn type.

26, 27. 3. 87

BĀVIKERI (Ankola, NB)

275

— before Bilekeri,

dry ē Cashew, Acacia etc.

21. 4. 87

BEDTI

202 203

— rim ē S' M' dee vgn bondy

19.3.88

BELELÉ

287

- like Bhaimbe - Pure Talk
- > Bamboo + zizyphus
- Eupatorium abundant
- Peak plus + occasional Eucalyptus
- paddy fields + Acacia plus.

(7.10.87)

BELLAKĒ (Bhattal)

473

22.11.'86

long sandy beach ē coconut & fishing village. North of Goratē.

22.11.86 ;

BĒLĒ (HAIGALAKURUVĒ) / MASUR

- Coconut on estuarine village
- Cultivated hunts.

361

27.3.88

BELLEKERI BEACH (274)

open ē ~~[illegible]~~ rocky out crops. Pandanus

fordering. cultivation.

23.9.'86 ; 9.12.'86 ; 11.12.'86

BELLIKERI 23. 9. 86 (275)

Ankola. Marsh ē islands of Mangrove
left. Extension back water. sea visible
sea — port for Manganese ore transport.

23. 9. '86 ; 10. 12. '86 ; 3. 3. 88

BENAGA (BEACH & VILLAGE) (231)

– open & rocky end – hill & pandanus & broken rocks – river mouth – coconut casuarina & village in background.

– a mark a rock

9.12.'86, 21.4.87

BETKULI (ANKOLA- KUMTA)

Laterite soils like Mijar etc.

328 345

12.2.88*

* passing thro'

BHAGAVATHI DAM (HALYAL)

- large dam ē dense *hydrocarbon fuel bonding.

95

- Hydroelectric project across river Tattihalla

* Transition but moist

5.2.87

BHAGUATHI (TANK) – BHAGUATHI (HALYAL)

- after village beside road
- big – covered ē shoaty pls
- bamboo + dry deciduous forest* bordering
- cultivated

95

~~94~~

* Transition

- Peak pl – extension – moist (ca 30 yrs old)
- forest – moist dec – mature – Transition ē Angusam

5.2.'87, 16.2.'87
24.11.87 – 27.11.87,
16.2.88*

*pasuj stró

BHAIRUMBE BETTA

287

– see moist deciders. well pressed not cut for last 8 yrs or so. Trees tall; canopy ca., closed; part of M.F.

5– 7.3.'85; 24.1.'86

BHAIRUMBE MF (287)

sec. moist deciduous - degraded -
scrub to thicket. Open canopy.
strychnos etc dominating.

24.11.83; 29.12.83; 30.12.83;
2 — 5.1.84; 21.6.84 — 24.6.84;
12.2.85; 10.10.83; 18.9.84; 19.9.84;
17.9.84; 20.6.87, 1.10.87, 5.10.87

30.1.88

BHĀRĀDI (ANISHI-KUMBHARWAD)

village ē [illegible] & [illegible] [illegible] - [illegible] like 'sholas'. Pall in [illegible] [illegible] & [illegible] elsewhere - [illegible] top [illegible]

131

11.2.88

BHENGLE MF

340 341

– moist deciduous, degraded, Tree savanna – scrub – Zizyphus etc as undergrowth. Terminalias dominating – Xylia. A small tank ē shoaty pts – cultivation

– Areca

5.12.83; 7.12.83; 10–12.12.83;
28.12.83; 1–3.6.84; 8–10 u 11.84;
9.10.83; 8.12.83; 30.1.86, 12.12.87
12.3.88

BIDRALLI (EUCALYPTUS) 340

Very plantation ē trees ca 20m Tall
cut every 5 yrs. Undergrowth of Bamboo
+ Zizyphus. Remnants of Terminalia etc.

~~28.2.85~~; 12.2.85; 28.2.85 —
2.3.85; 29.1.86;

BIDRALLI RF

(340)

sec. moist deciduous – mature forest
bamboo & curry leaf abundant as
undergrth. Canopy closed. Xylia
dominant. Trees tall & large.

30.11.83; 1.12.83; 2.12.83;
3.12.'83; 4.12.83; 29-31.5.84
26-28.9.84; 12.2.'85; 9.10.'83;
31.1.88, 18.2.88, 27.2.88

BILGI (SIDDAPUR)

409

– fitta ē tank & cultivation

5. 3. 88

BISIL KOPPA

(270)

— village ē surrounding to see moist dry
forest — good stand in patches

— Areca, bitter, tank + village
Midu

31.12.87 / 8.3.88

BOGRI BAIL (RAMANGOLI X) (276)

The hillock across the village
— Cashew, Acacia, Semb & prickly out-
crops + laterite.

21.4.'87

BOMMANALLI DAM (PICKUP DAM)

94

— Ambikanagar

— supplies water to sykis pt

— big reservoir ē moist dec. forest bonding

— Bamboo noticeable.

13.2.87

BŌRĒ (KARWAR) (192)

degraded laterite thicket i patches
of savanna forest

7.2.88*, 22.2.88*

* passing thro'

BORI

(21)

– after Jagalbet – towards border
3 km ⊥ border.

– see moist dec. forest
– fairly tall ē degraded pl. ē Acacia
aricultiformis.

6.1.88

BORIHONDA 8.1.87 (225)

— a beautiful large reservoir in 1 midst of forest bordered by Typha, bamboo (abundant), & dead trees in centre. On other side of bund — plus of area, banana etc. Photo pls also see remote area.

see sno 105

8.1.'87

BRIDGE, KANERI R. (NUJJI-KUMBHARWAD)

Rein ē eugen fruits + E'ph.

forest Tall + dense - open in patches.

Thins out towards Khatarwad.

100

12.2.88 (9.45 – 10.00 hrs)

CASTLE ROCK (Town ē popln > 1000) (18)

degraded open forests ē dense (17)

shola like enclosures started vegn. —

sim enclosures along slopes in background.

BRAGANZA GHAT → Dudhsagar —

Forest thick + uninterrupted —

Humid — Angiopterys seen.

7.1.88
20 - 25.1.88
15-16.2.88

CAUSEWAY (KHANDAKHUNDI NADI) Tributary to Kali / Kaneri nadi

Sewage front ē Bambo — rō to

[illegible] for [illegible]

90

4.2.88 (4.05 – 4.45 pm)

CHANDAVAR MF

— sec. moist deciduous — undergrth ē
Ixora & Memecylon; open. The 3rd
plot across stream better. Shows remnants
of once larger patch.

389

16 – 21. 1. '84 ; 10 – 12. 1. '85 ;
7. 10. 83 ; 22 – 24. 5. '84 ; 14. 11. '84 ;
19. 2. '86

CHANDRAKUTTY (Shimoga - off siddapur)

Rocky degraded hill c̄ bush gutts of Eupatorium & reg. Bamboo. Salmalia trees dominate. Deciduous. (Temple area) 29.11.84

29.11.84

CHAPPOLI (SUPA) 77

- new construction site on road to Jorda
- dense sec moist dec. forest.
- Bambos abundant in 1 area to be flooded

10.2.'87
6,8.1.88

CHAUKI (Nomachigi - Sirsi) 246

village ē degradation, Cultivation + Pall.

forests in partches.

16. 2.88 *

* passing thro'

CHENDIYA — ARGA (NB) 253 254

Coastal villages ē intensive brack & sand on hills.

21. 4. 87 31. 3. 88

CHIGGALLI RES., (MUNDGOD)

186

Large dam ē bamboo (dense) surrounding.
Journey for human habitats. (30.12.86)

25.1.87 – cultivation
– dry deciduous forest
– forest nursery
– bund 800 m long

25. 1. '87 ; 30. 12. '86, 31. 12. 87

CHILĒ (KUMTA)

376

- after the bridge. Dry lateritic outcrops
- barren c̄ grasses on crevices.

24.3.87

CHIPGI VALLEY (SIRSI)

320

100 x 50m ē water [illegible] in reach

Trees few & tall [illegible] esp Holigarna [illegible]

& [illegible] ca 30m ē Pipe & potters

- Tree fern & angiopteris etc.

15. 3. 88

COODNAPUR (TANK).

341

24.12.'86

Lake – 550 m > MSL.

Almost free of any aquatic vegn except a side. Water lily & reed ca 10 m (π) along one side. On the far side – Lotus etc. Trees > sf Eugenia spp bounding 1 lake. Pine apple plns. Across 1 road moist dicidens forest (sec) of Bidichalli type. Perennial lake. Fishing. Temple.

24.12.'86; 20.11.'84;

DANDELI (DAM SITE = D.S.)

- The river flowing but hills ē sur/moist dec. forest & dense bamboo growth.

64

65

- wide swift river - rocky

- FRH (450 m > MSL) - moist dec. & cultivated - Town ē Kalinadi - polluted - forest ē Angiosp - dense - Teak abundant -

13. 2. '87

2. 12. 87 — 6. 12. '87

DASANALLI (194)

village along Kalinadi bet

Kadra & Sulagiri

Bamboo farms ē sea grants on Hills

One entire stretch ē bamboo purpose

24. 2. 88*

*passing thro'

DASANKOPPA

290 291

- dry ē rank + cultivate
- Eucalyptus (5 yr old) small ē trees about 12m high /<

20.2.88 (7.45 - 12.00 hrs)

DEVANMANĒ (SIRSI TALUK) 315

after yarn — degraded rocky ē

grass like Bluegh / [illegible]

30.12.84

DEVBAG (KARWAR)

209

Casuari – oldest ph in N Kan
Ca 50m Tall.

Coconut, village, sea + Estuary

23.3.88

DHARMA RES.,

Large dam ē moit dindus fuit sundg. On road to Banavasi for Malegi Bud ca., 1 km. (30.12.'86)

289

30.12.'86

DODDAMANĒ GHAT

393

394

- steep hills ē Pall engine forests
  Jews abundant on road side
  Humid
- E. gardiniae dominating in most areas.
  very steep; difficult working.

19.9.'86, 26.2.'87, 5.3.87, 6.3.'87
12.3.87, 13.3.87, 16.3.87, 17.3.'87

DODDANALLI – BANKANAL

village bet Sirsi & Bankanal

ē Area, bette & Furnace

– Ern. pl., cultivate (dry) Tank, settlement,

m'dec. forest – dry & sec.

305

306

8— 9.3.88

DODDUKERĒ (HALYAL)

39

- inside fort - large - drying - dense
  fairly vegetation; squelchy grass around open stretch.
- cultivation, village & dry forest in far background
- road to Belgaum entrance N East
- sericultural plot beside it
- Temple.

2.2.'87, 5.2.'87, 26.11.'87
14.2.88

DUBANSHESHI (326)

— coastal village near Gokan — mouth of Gangavalli — beach — ~~Cash~~ Casuarina & Coconut — village —

17.1.88

DURSI

(11)

— dense & green in patches

rivin flowing thro' — near hailway line

ē cane & 1 forest seems to be stretched

thro' dense — patches of shrimeaglu? —

like shola — small hard trees

— at ft — underpitts strobilanthes.

7.1.88, 20.1.88.

GADIKAI

287

— [illegible] — [illegible] [illegible] [illegible] [illegible] [illegible] —

[illegible] [illegible] [illegible] [illegible] — 33 [illegible] [illegible].

1.1.88 ; 2.1.85
11.1.88

GAIRSOPPA

430

— Remnants of unique fruit &
secondary moist deciduous to degradation.

19.1.'87, 3–4.4.87,
14.4.'87, 15.4.'87

GANESHGUDI (SUPA)

48 63

The KPCL & HSCL settlement – urbanised overlooking the supa dam still being constructed 550m > MSL at the GH.

- a good stand of moist deciduous tall forest bordering
- Hills shaved off for building construction.
- outskirts c̄ good moist dec. forest on all sides.

9 — 12 . 2 . 87 ;
4 . 1 . 88 — 8 . 1 . 88

GHOTGĒ WADI (BRAGANZA GHAT)

— fine but castle rock & Andsagar — (17)

Continuation of 1 Molem WLS. Forest

Hind, dense, closed & continuous ē

rocky out crops like 'Castles'.

15. 2. 88 (8.20 – 10.00
17. 30 – 18.00)

GOA – Bye PASS – Jn'

363

– degraded, stunted – [illegible] forest

– hilly ē valley on other side of road

24.10.87

GORATÉ (BHATKAL, SOUTH)

(473)

22.11.86

hardly any beach left - rocky. Fishing village. Southern end of N. Kanara

22.11.86;

264

GUDALLI, (sisi Tabak)

The road to Gudalli en [illegible] (31.1.1.85)

1.1.85

GUND (NANDIGADDA)

116 117

Sa nuit du fort ē Barboo -

dense on stopes - [illegible] than

Kulji

3. 2. 88 (ca ½ h)

GUNDOLI TANK (SAMBRANI, HALYAL)

68

- Tank in village next to Sambrani.
- lots of sheaf vegn & cultivation etc.

5.2.'87, 15.2.'87

GŪTHI KĒRI TANK (HALYAL)

- on road to Belgaum from Halyal – after Bus stand
- large tank ē cultivated bunding
- almost dry – 1 water running with dense platy vegn.

39

2. 2. 87 3. 2. 87, 5. 2. 87
26. 11. 87, 20. 1. 88

GUNJAVATI

163

cultivation ē dry dr fruit mainly &

Peak plan (see also Baddikin)

17.11.'87

HALKĀR (forest) 375

a small patch of village forest
a remnant of [illegible] type ē [illegible]
etc. degraded to Thicket kind ē
grass, orchids etc.

1.12.86;

HALYAL (FRH) 520m > MSL

— dry deciduous* — é sylviculture, harvested paddy fields

— silk cotton trees in bloom, Teak etc.

— old fort in ruins é IB, FRH etc.

— Park inside town (3.2.'87) — passed by.

*Transit

39

2.2.87 – 6.2.87, 26.11.87
3.4.88

HARVARD (Karwar) NB

sunt jigle on hills, cocoanut etc

on sea shore

256

21. 4. '87 / 3. 3. 88 / 23. 3. 88

HASURU (HALAGERI) 2.1.87

a reservoir on siddapur-fog rd.
large ē fort survey. dead trees
inside. surrounded by degraded fort forests +
hillocks.

410

2.1.'87 ;

HEBBAR(NÉ) GUDDÉ (Anthola)

281

a good strip of [illegible] & semi-[illegible] patches.
(31.12.'84)

31.12.84

HIRĒ HARUALLI

228

— Katu — Umachigi rd.

Prasitu but moist & dry Dec first

ē Espatu — first matu & dense

14.11.87

HIRE KAI (SIDDAPUR)

372

— acari anicultifiers pl. on outside
5 yrs.
— see n' der front on sides

11.3.88

HIREMANE (KARWAR) 214

– Hill top settlement ē cultivation (cut) + patches of dense forest like Castle rock / Mechinighat / Motiguddi (short)

2.3.88

HIRĒ MUSKI

after Halavalli

263

31. 12. '84

HITLASĀRA 8.1.87

225

— a small Tank ē Ploaf pts in middle of deciduous (moist, degraded) fruit. Appears perennial.

8.1.87

HONNAVAR (FOR. BUNG.]

425

sandy ē casuarina pl. Tidal river flowing beside.

23.11.'86 ;

HULATHEVA GODLU (Doddamane)

12.1.'86 Agamoshin rim valley ē slopes of engine - semi engine forests on either side East facing aspect steeper ē lot of Arenga palms & queen. W facing aspect ē > Diospyros. Trees ca 30 m/ > ~~[illegible]~~ frequent

393

12.1.86; 20.3.86; 21.3.86;
26-28.2.87, 25.3.87

HULEKAL (Sandi rivier)

Perennial & stream ē see moist der forest
& little etc sandy.

285

23. 5. '87

HULGOL

286

– village ē [illegible] – [illegible] bette &

thicket – degraded & open

a small pond ē [illegible] pls.

1.1.88, 19.3.88

INDUR

145

— cultivation & village ⟶ Kalagadgi

16.11.87

ISLOOR (DHARMANADI) 304

Large tank ē Ploaf vegn a road to Ekkanti pm sisi. Cultivate on one end degraded moist deciduous forest on 1 other. Road & village along margin.

27. 9. '86; 24. 10. '86; 31. 12. '86

30. 1. 88

JAGALBET

(34)

settlement away from supa reserve

Generally ē moist deciduous forest of the

secondary type — patches of [illegible]

Bamboo — abundant.

11.2.'87, 12.2.'87
4–7.1.88, 25.1.88

JOG (FALLS) 1.5.'86

433

400 m MSL; Isolated patches of forest - unique.
stony ē edged rocks above falls. Cliffs & bare near
falls ē grass.

1.5.'86; 2.1.'87;
14.4.'87

JOIDA

(89)

otherside of Supa ē dense see moist deciduous
forest ē Xylia & Bamboo conspicuous.

petals of sweetgum

10.2.87, 12.2.'87

6, 8.1.88

JUMMUNMANĒ (⟶ KAKKAHI)

Jam forest, fallen ē Arecae & cultivated
chiefly on slopes - rivers

264

~~28~~

27.3.88

KADRA (< 20 m YMSL)

– secondary – moist dividers – [illegible] ē

degradate; [illegible] ē Kalinadi [illegible] thró

193

1 — 3. 3. 86 (night)

7 — 12. 2. 88

22 — 25. 2. 88

KADTHOKA pop. (>1000) (388)

— dependent village — like [illegible] c̄ latinite

Cashew, & sweet or latinite

13.1.88

KADUAD (210)

— a salt marsh — kali nitti ē
[illegible] grass + occasional [illegible]
+ coconut [illegible] villages.

5, 6 - 12 · 86

KAGGUNDI (VANASSI)

sec. M' dei fiori – bolle, bara & arma è village

284

29.3.88

KAIGA

216

- mostly open forest c̄ bamboo (Terminalia type on hills)
- logged + opened up to scrub + thicket
- forest bet'n Kaiga + Kilaingadde enough c̄ water flowing - part of Arabail ghat.

1~~7~~. 3. 88

KAIRMAKKI — MACHALLI (AMDALLI)

— cultivated ē village (0 - 300m 7MSL)
Cultivated ē Scrub, A. auriculifera pl.
scrub, Tall forest ē Diospyros microphylla
> 30m, H2O most in pools.

255

30. 3. 88

KAKKADI (VILLAGE) Sirsi Taluk

Chand just in outskirts

264

1.1.'85

KALKERI (and ANDALAGI) → MUNDGOD

a village ē dee forest – A. latifolia, Teak &
cultivation.

Trees small – charfelled & 2nd growth?

The junction – cultivation.

185

16.11.87

Dec 1986

KĒNI — Creek south of Bellakeri before Marjugini. Broken ē cultivated bunds etc. Fishing.

292

9.12.86;

Dec 1986

MANJUGUNI – Ankola

north of the river mouth of Gangavally. South approached from Gokarna. bordered by barren hills. extensive beach. sea turtles lay eggs.

309

9.12.86 : 12.12.86

KODLIKĒRI

376

(Kuntu, isolated bit of Halkar forest)

Melastoma, a perennial fresh water clear spring, Ixora sp Memecylon, Myrmecopus elegi, abundant pothos scandens.

3.12.'86; 13.12.'86;

KHAN MUSKI

– after Kalyan gundlet

264

1.1.85

MADNEGERI,

327

Om > MSL

Towards Sanikatta, fully salt pans (Caustic soda factory Pvt.), ē abandoned pans on one side. Not much magnesium left except Cerbera

10-11.11.'86.

10 – 11 . 11 . '86 ; 21 . 11 . '86 ; 28 . 11 . '86
15 . 1 . 88 , 5 . 3 . 88

SÁLKANI (11-5.'86)

a village 17km off sisi – area pln + degraded forest ē bitta + bina. Hilly country ē remnant patches of forest – semi-evergreen / moist deciduous – One small tank ē lotus + water – Lophopetalum trees noticeable

301

11.5.86 ; 10.5.86

SAMBRANI (KERĒ) (SAMBRANI, HALYAL)

— small tank ē lots of floating vegn inside village

— cultivation bunding

— dry deciduous forest* in background

*in Transition

But no & Bhagwati moist dec (Transitional forest)

matrix ē bamboo — closed ē Aroginian & tank

68

5. 2. '87, 14. 2. '87

24. 11. 87 – 26. 11. 87

SAMPKHAND

Degraded unique patch ē grass & barren
hill tops – Area & paddy cultivation

Road to Kuts.

352

11.1.'87

SANAVALLI (MUNDGOD)

166

- 24.1.87 - large Res
- bamboo sunny
- border
- forest nursery
- dry deciduous forest in background
beside main road - cultivation.
- fish cultivated.

24.1.87; 25.10.86j

SANDŌLI

— secondary deciduous forest ē xylina dominant

Peak plantation also along round to upon

dry water course.

Remnant green patch beside it

came traces.

347 348

7-8.5.'87;

SĀNIKETTA, (Aganashini) 23. 9. '86

0 m > M.S.L.

extensive marsh ē salt pans. Rhizophora being dominant; sonneratia + Kandelia present. surrounded by degraded hills, Jt hills ē village (fishing) + coconut plns. Private holdings — salt pans 4.11.86 – 6.11.'86. ca 000 acres

327

344

23. 9. '86; 4 — 6. 11. '86; 28. 11.
5. 1. 88, 5. 3. 88

SANTGAL RF

378

at foot Peak pl. up the hill
> 350 m + MSL Tall evergreen - semi evergreen
forest. Machilus, Mallotus, Knema.
Gnetum, Diospyros present. closed canopy
forest. Cane abundant. Strobilanthes +
drainage

14.3.84 – 19.3.84; ~~17 – 20.1.'85~~
6.10.83; 19.5.'84 – 21.5.'84; 14.11.'84
17–19.1.85;

SARANGADDE (VANALLI)

open forest ē burn, area cultivated etc

265

28.3.88
25.3.88

SARKULLI (Thattikai) (369)

A good strip along the stream
Garcinia spp & Myristica spp dominate
further up Hopea dominate (12.2.'85)

12. 2. 85 2. 10. 86
7. 12. 87

SHARAVATHY VALLEY

432

– step valley ē river flowing thro'
Tall evergreen forest ē moss etc.
Closed canopy forest.

1.5.'86 ; 18.1.87 ; 19.1.87

SOREGADDE

214

— chaud Berra ē settlement & see. dwarf

forest — moist dee ē Terminalia

bt ~ & Hiremane — Teakpla, Berra,

Thin forest, E'pla, see forest, Evg.

forest, Thick forest, Hill top chaing

forest. open, Tangle, Stunted forest,

Cultivation & settlement

2 . 3 . 88

SULAGERI

– Kadra – Kodsalli – Jodig Vākihalla

Probably 1 site where 1st teak plan

1860's was made – along Kalinadi –

sec. forest ē bamboo profuse

village ē cultivated

– Peak, Pennlie, Dalbing, like MTF

Expatriate about. recent filling – stumps

Peak trees > 1 mgth fmt.

175

24.2.88 (7.45 – 12.00)

SUNKERI

Dec 1980

Karwar. Marsh of Kalinadi é extensive growth of Sonneratia. Towards Kadvad side abundant mud growth along 1 estuary. Extensive

210

4.12.'86; 5.12.'86; 6.12.'86; 7.12.'86

SUPA RESERVOIR

- extension – Gaurshgudi to Chappoli & further on the Jagalpur road.
- bordered by moist dec forest
- bamboo on edges
- steep banks ē hardly any shore
- dead stumps practically about
- where the transect was made – Eucalyptus present along edge – small islands also seen.

48

10, 11 - 2 - 87;

SUREMANE (MANCHIKERÉ)

Other side of Magod. Tall forest
ē teak pl on one side. Closed & dark
Dimicrophyllum dominant Ca 45 m Tall!
Machilus, Eugenia, Dysoxylum & Cane pest.
in patches — undergrowth feeble ē tall towering
trees

228

18.3.88

SYKE'S POINT < 500m > MSL

steep hills c̄ Kalinadi in the valley

– Tall moist dec forest – see?

– Polluted – H_2S smell in air at view pt.

– Power house below.

119

13.2.87

SYNTHERI ROCKS

– vertical granite formation ca 80 m.

flat far – surface fruit ē

Bamboo & rivers – Kaveri Rin

103

3.2.88 (ca ½ hr)

TADRI

344

— Coastal village c̄ bank water &

Coconut — Unbaised — [illegible]

15.1.88

5.3.88

TALAPA (see NUJJI)

131

– forest ē village & cultivation

Meneaghan in underpatten

23. 2. 88 (7.45 – 14.00 h)

TARGOD

570m > MSL

— Moist deciduous — sec — mostly bitter dominated by Terminalia paniculata — Xylia & Eupatorium.

— open front. The matrix is mostly Bitter.

— Ft of Microsaw ~~and~~ station.

303 304

20.5.87, 21.5.87, 13.10.87,
9.10.87

TATTIGERI (SAMBRANI)

83

— village ē cultivated.

Jones thing out ⇒ it. Best chose to Pandrial. Contains fruit — dense & mature — Dry dec — Anagrus — grass — open degd scrub ⇒ village

Pressure of Teak & Lagerstrom — moisture?

24 – 26.11.87

THENGINKERI — [illegible]

before Mangiagani — small

backwater & cultivated etc.

292

10.12.86

TUDUGUNI (267)

— on road to Yellapur

— moist dry forest (some evergreen?)

Tall trees — undergrowth — Ficus

& Cinnamomum — 11h to Bidrelli

a few hunts ē in

5.10.87, 19.5.87, 18.3.88

ULUI

– sec mort du – Europe ē ca no bambou

Came in mignette – dance in pantalon

134 135

3.2.88 (11.40a - 12.15p)

UMACHIGI 8.1.87

247

— small tank on side of sand road

c floating pts — area sandy. Perennial

on other side of road — paddy fields — extension

ca 100 x 100 m size

— open forest — sewage / rice dec.

8.1.87

18.3.88 / 19.3.88

~~[illegible]~~ UNCHALLI FALLS

Steep water falls ē see. moist deciduous

to semi-ever forest. 410m > MSL on top

The river is 200 m. Rocky. The forest on either side

very thin ē tanglis, Cane, Ochlandra etc. The top

canopy is deciduous. Spp poor. Looks degraded.

395

11.10.83; 8.2.86; 19–21.3.87;

UNCHIGI VILLAGE

388

— a village in degraded unique patch

c̄ Areca plus & bettas remaining

7. 10. '83; 12. 1. 84; 13. 1. 84; 14. 1. 84
26. 4. '86; 13. 12. '86;

YEDALLI

— High school, moist deciduous (see)
bettalad — grass — tank & floating vegetation
cultivated etc.

— Patches of humid forest & Aporosa etc
& a pearl stream.

320

11.2.84; 12.2.'54; 5.10.83;
25.5.'87, 3.10.87

YAN

Evergreen - semi-evergreen ē limestone
outcrops. Bl soil & water tasty lime.
Patches of red soil. Calliophylla - trees
etc.

332

Coryphae zones & degraded ē. Eupatorium & Macaranga
abundant.

Regenerates a top, closed forest 340 m > MSL

12.5.'86, 4.1.88 8.1.88
20.1.88, 25.1.88, 1.2.88, 5.2.88

VĀKI HĂLLAH (ANISHI – ULVI)

Mature – rimain forest ē Tall stems

Rocky stream – Thea – Cinnamon – Diospyros

Peronialia – Ochlandra along rim.

Possibly worked for Calloplyllum – many fallen

trees & logs.

132

10.2.88

VANALLI

sec. semilunguo – degradato è
Areca pli etc. Rimanent fonti la
lungo
– open bottle, sec. indu fonti

283

1.2.'85 ; 2.2.'85

28.3.88

VIRNOLI

— sec scrivanger — moist dec. è cultivate

Xylia prominent — hilly + humid.

91

2.12.'87.
4.2.88

SHINGANALLI

— Any Arc Joint ē cultivated in charge.

Joint field good ē Arogeisis etc.

Arogeisis – Peak – P. tomentosa, dense erupting
impossible

251

2 – 7.11.87 ; 13 – 14.11.87
31.12.'87

KANCHINALLI 8.1.87 (MANCHIKERĒ)

on road to Somnalli – mud road. (204)

Bitter – most deciduous ē a small

pond – floating pls – seasonal > at probably.

8.1.87

KANGOD (SIDDAPUR) 2.1.87 520m > MSL

Close to 1 border. Large perennial c̄ floaty pts - lotus etc. beside road; degraded forest on all sides. Open grassy bank. Cultivation in 1 distant end.

Degraded forest. (29.11.'84)

399

29.11.84 ; 2.1.87 ;

KANSUR

355

— a small [illegible] village → [illegible]

i [illegible] forest + Tall [illegible] of [illegible]

[illegible] on hillsides ; [illegible]

26.10.'87

14-3.88

KARKA (DANDE+1) (KARKJA)

– at the jn of road to Barchi & Dandel from Hahjal – Moist dec forest – dense c̄ Seak & Anogeiss.

51 52

2.12.87, 3.12.87

KARKI (HONNAVAR)

- Coastal village ē extension Coconut ea
150 yrs old - Casuarina pl - beach - open
mark & bank contours

490

13.1.88

KARWAR (BEACH)

209

231

5.12.86 ; 8.12.86 , 23.2.88

KASAGE

350

— a shop on inside but Bandal ghat & Dimmin ghat

— Tenk, Cadamba pl ē degraded hind Jonta

24.10.'87, 12.1.88

KASKORWADE (KARAMBAL)

Evergreen closed forest – chaos in patches

ē Memecylon + diospyros dominant – Cane

abundant in undergrowth – Pamphlet ē [illegible]

640m > MSL

epiphytes orchids along edges – low

10

23.1.88

KATHLĒ KHAN (Malémaire) 419

- The marshy patch on roadside
  ē Pennage, Ochlandra, Myristica magnifica, Ferns, & Aroid complexion pts.
- very wet & hind ē moss.
- degraded open patches ē stubblaths on roadside
- Banana cultivated in champs

26.10.'87

KATUR (MUNDGOD

229

- 21 — 26. 1. '87

- dry deciduous
- Teak & Bamboo
- Terminalia, Lagerstroemia etc.
- dry cultivation
- dense forests present.
- a watershed ē lotus etc.
- water courses dry.

21 – 26. 1. 87, 2. 11. 87 – 7. 11. 87,
13 – 19. 11. 87

(KILAGINA) ONIKERI (bet Salkari X + Hulukal)

– paddy field + degraded roadside vegetation like sandy ē a small stream that spring into 1 main stream below 1 bridge.

302

25.10.87

KILARIGADDE

217

– Open in pathos, just good ē
water towards Kaiga

1. 3. 88

Khursi (KHURSI) 357

bet. Sarpkhand & Bandal

open dry forest

KODAR (Naval base) 254

Sunk a hill, rocky, creek & Tall

maps & coast

village & count

31. 3. 88

KŌDIGADDĒ

(Doddamarī)



405 406

From Biralmākki

The supposed 'corridor' bet Doddamarighat & Sharavatty.

- not particularly good - like Methuni
- Perennial present - the Mukti / Mugalli hallah flowing - rocky & very steep.

The rocky face ē deciduous fruit.

9.3.87

KOLIKERI (KIRVATTI ca 9 km West)

500 m MSL. (12.5.86)

140

Dry deciduous (not completely) mature forest c̄ large sized trees. Teak ca 100 yrs old. Teak + T. tomentosa dominate. Undergrth Eupatorium, Bamboo + Randia uliginosa ca 2m / slightly >. The study area is on the roadside opp forest nursery on the Hubli highway. Trees like Ficus bengalensis, Eugenia, Careya, T. paniculata, Lagerstroemia, Buchanania, Bauhinia + Dillenia common.

12 – 14. 5. '86 ;

KULGI

92

– cultivation bordered ē moist dec forest

semi-erge – Transit in slopes ē teak –

dense – xylia – closed forest –

sanctuary area.

Bamboo abdt.

Peak pt 20 yrs old

2.12.87

1–5.2.88

KUMBĀR KERĒ (HALYAL) 27

from road to Bilgaon (8 km from FRH)

– open waters – catchment – brick making

– open + dry all around.

6.2.'87,

KUMBARWADA

100

— village c̄ cultivation —

scientific — fruits in patches — Pall

(being pulled & road land)

see mint due fruit.

Jorda — Kumbarwada & forest fragmented —

dense & Pangled.

Ilm bet Nagji & Kumbarwada,

6.1.88
12.2.88

KUMTA

375

CES (college rd) 20 m + MSL.

Evergreen tract — degraded to laterite + scrub

brush etc.

~~100~~/5

N. KANARA

HABITAT

6 nil
(56 – 60
Hajol)

KUMTA BEACH

375

Open beach ē cultivated, fishing village etc.
rocky outcrops etc. Barren hill in background

15.2.'84; 29.12.'84; 1.11.'86; 13.12.'86;
1.12.'86;

MACHALLI

234

— after Kaimakki —

Pall forest ē canopy — D'micro-
phyll dominant — > 30m, cont ē
marsh in forest — patchy hill top-
ings ē FWM / settlement / cultivation

30.3.88

MADURAHALLI (SIRSI) 530m > MSL

a deviation to the right from ~~Ekkambi~~ Dasanakoppa

– a large tank c̄ lotus etc. at the foot of hilly country (20.11.'84). Closer to Banavasi.

Paddy fields – either side (30.10.'86)

341

23.12.'86 – grassy marsh, sugarcane field, bottle & a moist dividers foot bonding. One more tank lbr but smaller on 1 other side – across a bund. Chilly, turmeric & ginger cultivation.

x Tank dries in April.

20.11.84; ~~24.10.86~~; 23.12.'86
30.10.'86, 29.9.'86; 22.12.86; 24.12.'86
31.1.88,

MAGOD,

semi-evergreen – good stand on step cliffs

undergrowth sparse, bamboo along

edges – *Xylia* dominant. wild

banana, undergrowth – Lizibuzen.

223

2.10.87

MAHIMÉ — 300 m > MSL 12.1.'87

Enigma patch — filled — large C. elatus left.

Machilus — dominating. Corypha present.

Large Zingiberaceae pls found. Elephants

more thro' — old dung — plenty — a regular

trail. Closed canopy.

417

12.1.87

MAKKIGADDE (ARABAIL)

278

Peak pl., open forest ē cultivated & settlement
dense tall forest (large) on slope & hill
teak, cut & regen ē Empatu (ca 3m tall)
Cave pest.

21.3.88

MALÉ MANÉ GHAT (420) (419) (430) (431)

80 m MSL, sharavathy valley. Forest good on steep slopes; being cleared; proposed dam site; Arenga dominant undergrth; trees hardly 3/4 per 10 x 10 m quadrat (guess by appearance) Trees tall, Kneema dominant (25. 4. '86), *Mastimanè (strombosia, Eugenia, logged area)

> 500 m MSL. (1. 5. '86) upper storey dominated by Dipterocarpus, Eugenia gardenia common. Moss on all trees - abundant. Forest logged but in good stage of recovery. Perennial springs inside ē leeches. Peranga. Gov natives in under storey & along stream side. Came sparse. Arenga > common. Tree density > than 1 above area.

25. 4. '86*; 1–3. 5. 86; 18. 1. 87
2–4. 4. '87*

MALLAPUR – GUJALLI (389)

– village & cashew plantation on dry laterite hill – bottom – coconut & areca along village & cultivated – grass & wetlands

14.1.88

MALLAPUR (KARWAR) (192)

Kalinadi ē cultivated, village &
scrub jungle

1.3.88

MANCHIKERĒ

– moist deciduous forest ē Areca plus etc.

Transitional ē patches of [illegible]

224

28. 5. '85

2. 12. 87, 19. 3. 88

MANDI KOPPA

398

- Acacia auriculiformis

- a settlement ē cultivated + open forest

a pl. ca 5 yrs old - Trees 4-8m occasionally

taller -

15. 3. 88

MANJUGUNI (SIRSI) 3.1.87

a large temple tank c no water pls.

334

3.1.87

MANMANĒ (siddapur) 2.1.87

at jūn of siddapur – Talaguppa.
small pond ē red water lilies – seasonal

446 447

2.1.'87

MARADI KOPPA (KOLIGADDE – SOMNALLI)

– Tall, thin ē Empatra & bamboo

Trees > 30 in Tall Terminalia dominant

– Moist dec.

181

19.3.88

MARIKOTĒ GHAT, (sirsi Taluk) 264

Grassy, dry hills c̄ rock – gooseberry trees (1.1.'85)

1.1.85

MASKATTI GUDDĒ / SHIKRA

after Matti Katte, [illegible] – [illegible]

patches.

298

31. 12. '84

MASTI HALLAH

– road to yān – unguen just dense

ē stream crossing

348

30.12.'84 14.10.87

MĀSTI MANĒ (GAIRSOPPA)

Pt of Mātimanē – Forest nursery

secondary to seminger forest in background.

430

19.1.'87 ; 25.4.'86 ;

MÂSTIMANÉ — [MALÉMANÉ] D.S.

- Proposed dar site [see also Mâtemanê)
- Stromboscia — E. gardiner — Polyalthia — S. microphylla
Forest working — filling — forest quarter.
Top 200 m — Tree people there.

(U30)

25. 4. 86, 2-4. 4. 87;
10. 4. '87, 13. 4. '87, 15. 4. '87

MASUR

361

– salt marsh ē paddy etc., remnants

of mangrove – hills or islands degraded like

Mingan ē gaos ; Cotwont,

8.3.'84; 13.11.'84; 19.3.'86
~~28.4.'86~~; 2.11.'86; 3.11.'86; 7.11.'86
8.11.'86; 9.11.'86; 20.11.'86; 29.11.'86
7.10.'86; 30.11.'86; 2.12.'86; 16, 17.1.88,
5.3.88 23.3.88

MATTIKATTA (KILAKINAKECI)

30.12.'80, appeared good engineer at night ē
hills & valleys waterfall,

298 299

30.12.'84

MAVINKOPPA (BISAL KOPPA) 305

Patches of [illegible] forest [illegible] see most
due [illegible], cultivated, [illegible] & [illegible]
– isolated settlements

7.3.88

MĀVINKOPPA (TANK) – DHARWAD

– just across the border.

– dense dry deciduous forest bordering – forest of 1 arrogeious type.

– cultivated ē village

– large tank – >8th day ē lots of floating vegn

– squelchy ground bordering.

40

5.2.87

MEDA 620m > MSL

(5)

– Joust taller than Kaskaewada
uniformly dense & closed ē meningitis dirty
moss gutter, cave scarce, epiphytic orchids
along periphery – strobilatus.

24.1.88

MĒTHINI GHAT 22.3.86

392

Top ~~520~~ 480 m MSL.

Callophyllum elatum + Dipterocarpus trees present

Aganashini Complex, south west of Hulethengodlu Forest – mixed patches of evergreen + moist deciduous hill top ē small trees in dense isolated patches – grassy open 'plains' dotted ē date palms. Leaves extraction by the local people. The valley on top ē a settlement + cultivation.

It hills cleared; plantations of teak, Cadamba. successional growth of Macaranga, Terminalia, Bamboo under growth Eupatorium + strobilanthus.

Trees on top ē moss abundant. Forest closed canopy. Dew dripping in the morning during early april.

1.4.'86; 22.3.'86
31.3.'86; 2.4.'86;

MIRJAN MF

Open degraded scrub on laterite.
strychnos & sapin abundant.
Memecylon & Ixora undergrth.
Grass etc. Water lowers ē water
after rains. A perennial stream close
by

362

26.1.84; 29.1.84 — 4.2.'84;
7.10.83; 10.8.'84 — 12.8.'84; 12–14.10.'84;
21.2.'86; 26.3.'86;

MOODANALLI, 40 m MSL

392

Jt of Methinighat, dry > deciduous ē cultivation + bamboo. Teak plantation etc. A dry river course.

31.3.'86

MŌTHI GUDDA / DURAIGUDDA

313

24-25.3.'86.

Jt - Ajjasūrē 80 m MSL. plantation of areca & cultivation ē settlements.

Top 730 m MSL.

Lateritic boulders ē stunted heterophragma dominating. Trees full of moss (espy on top) forest on the whole engines & bush. At 540 m MSL, Dipterocarpus & Jussa (Pteridium) on grassy slopes. Woodfordia shrunt formations also. Hill top - stunted, dense, signs of wildlife, deep gorges etc.

24 – 25. 3. 86

MUDSĀNALLI

— village from Katra — Dry deer forest

en route ē Peak & Mandia.

208

15.11.87, 16.11.87

MUNDANMANE (SIRSI TALUK)

298 299

30.12.'84

MUNDGOD, (TOWN)

— [illegible], [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]

— [illegible] [illegible] [illegible] [illegible] (personal ?)

165

16 — 18.11.'87

MUROOR – KALLABE (ARECA)

mature plantation ca 250 yrs old
humid – water all this yr. Intercrops
pine apple, Cocoa, Myristica, Banana,
pepper, etc., Evergreen forest remnants (
degraded) in background.

377

– village forest in background of Kallabe –
deg ē cashew in foreground, Permanent source of
water, Tree fern seen.

3.4.85; 1.4.85; 2.4.85; 8.4.
21.5.85; 24.3.88

MUSKI (Ankola Taluk)

open grassy hillock towards Kakkalli

263

31. 12. '84

NAGUR CROSS

346

- scrub & thicket ē enough clearing on laterite.
- surrounded by hills ē dense cover of thicket & small trees.
- abandoned cultivation & settlement in the centre.

23 - 24. 4. '87

NAGUR RF

346

– semi-ungu – secondary. Closed canopy
c̄ hopea dominating. under growth of
hopea + Isora. Dense. Diospyros micro-
phylla, Knema, Strychnistica, Holigarna etc.
stabilization in changes

25.11.83; 26.11.83; 7.10.83
16.2.'84; 17.2.84; 18.2.84; 19.2.'84
20.2.'84; 8.6.'84; ~~2.8.'84~~ – 4.8.'84;
9–11.10.'84; 1.12.'84; 22.2.'86

NAITI

— Beside Kalinadi (Southern side)

Open scrub ē Cashew, Acacia pl. etc.
village

212 213

29.2.88 1.3.88
2.2.88

NANIKETTA

371

- a rotside village but Kansan + siddaya
- Open degraded forests ē patches of tall trees.

26.10.'87

NISHAN / KALYAN GUDDA

— Granny hill Top

264

1.1.'85

NOOTHKAL

(383)

– rocky stream above Mitchell falls

8.2.86

NUJJI (TALAPA) — Aniskin — Khubar-wada.

Evergreen forest ē Holigarna ghari obvious

forest lk to Aniskin

understory — Memecylon (CR spp)

Pall forest — plantation etc else where

close to Nujji

112

131

— Ailanthus pl

— Silver oak pl — 16 Ha, 1972.

(DUDGĀLI) village

12.2.88 (9.00 – 9.30 am)

23.2.88 (7.45 – 2.00)

NYASERGI RESERVOIR (Mundgod)

a large man-made catchment ē changes of Bamboo & other dead trees inside. all around deciduous scrub / thicket - bamboo abundant, dry & thorny. Water thin out 1 yr. Background Eucalyptus & deciduous trees (6.2.'85)

23.1.'87 - Teak, Bamboo, Eupatorium dense cultivation.
- dry forest in background.

166

6. 2. 85; 23. 1. '87; 21. 1. '86; 25. 10. 86
30. 12. '86; 31. 12. 87

PĀLA / HALĒ PĀLA (HALYAL) 26 38

— after Hargi (a village, visited 4.2.87; 3.2.87)

— open dry cultivation

3.2.87; 4.2.'87;

PANDRAVAL (SAMBRANI)

cyst village – moist dee – degraded Eucalypts
Peak, etc. & cultivation – cultivation and village
~~[illegible]~~ good stand of mature dry dee fuel ē Avoyron
ē gross undergrowth but ~ & Pathiquin.

'Eclipsement'

83

24, 25. 11. 87

PATIL WĀDA

– Dandeli WLS core ē moist dec

forest ē Bamboo abundt.

T. paniculata dominf – 520 m > MSL

degraded – cultivated + ~~[illegible]~~

settlements beside. a small Hill stream.

92

2.2.88 (7.30 – 12.00 am)
Ca 3 km.

PATŌLI

village at jun but Gand &
Kumbarwa after Vinoli,

77 ~~47~~

see most due first - Evergreen in patches
Trees tall but scarce - Bamboo
abundant. Lagerstrom dominant

4.2.88 (7.45 – 11.30 am)
2.12.87

PĀZHA TANK (KAVALKOPPA) MUNDGOD

a big tank ē lotus etc., cultivated on one side. seasonal (30.12.'86)

Pale village – rd to Hangal ē dry dry just, (partly) cultivated & grows

251

30.12.'86 ; 2–7.11.87;

PHANASŌL

(92)

— village & degraded forest near Kulgi

before Patelwada.

moist dec Teak & Bamboo forest.

3.2.88, 4.2.88

RAGI HOSALLI (350)

— village & cultivation — patches of dense
[illegible] forests — beginning of Dominion ghat

12.1.88, 29.3.88

RAMANGULI

241

– road to Yellapur from Ambale
Moist deciduous dense forest c̄ stream (Yangonulli)
Bamboo bunding.

27. 5. '85

RAMNAGAR

(21)

— The N.K. side (Bordu) ē secondary moist deciduous forest & patches of stunted semi-equinoctial ē grass

Lounda side — degraded ē scrub & grass & cultivation — patches of stunted sec. moist dec — T. paniculata conspicuous.

4.1.88, 7.1.88 (passing thro')

SAHSRALINGA (286) (267)

– Pattern of tall [illegible] & [illegible] along [illegible].

19.3.88

SALGAUM (MUNDGOD)

26.1.'87. – Rd to Mundgod from Katur

- large, perennial ē floaty pls
  lotus + Nymphaea
- washing etc...
- on roadside
- paddy fields encroaching into it
- poaching, villages close by.

186

26.1'87; 25.10.'86.

SHIRAGAR

50

— Railway Xg — Dense moist dec fort

ē Anogeissus & Xylia. Lagerstr., T. paniculata

& teak dominf. Trees mostly ē contin

canopy.

2, 3 – 4 · 12 · '87

SHIRUE

(213)

— see dwarfer forest ē Penicilia

but Naili & Hieronam — open

Q. 3. 88

SHIUGANGA FALLS

– Fall [illegible] [illegible] è [illegible] [illegible] [illegible]

223

1. 1. 85

SIDDAPUR

— Town ē Jain ant of Paddyfields & degraded open rivet forests on 1 outskirts

— Cashew — Cane hilltops & dried up cultivation. Trees 2–4 m.

outskirts of Town

411

26.10.87 14.3.88
26.1.88

SIRASGAON

– after soosabby

264

~~31 12. 8~~
1. 1. '85

SONDA R.F.

sc. moist deciduous – Tall tree
ē tangle. canopy ca closed.
undergrth dense ē Psychotria. Pennisetum
xylic etc dominate.

285

20.12.'83; 21–24.12.'83;
26–28.6.84; 15–17.11.84; 12.2.'85
27.1.'86; 13.10.'87; 25.10.'87, 30.1.88
6.3.88

SONDA (TEAK)

Yng plantn ca 12 - 15 m Talk. Beside

SONDA R.F (sm. moist deciduous) ē

remnants of natural vgn. on road side.

285

28 – 30.1.'85

SOOSABBY (sirsi Taluk)

stream ē forest - water full - rocky
+ steep

264

1.1.85

TIBETAN COLONY (TATTI HALLI)

Tibetan è cultivato – extensivo

& well managed.

165

16.11.'87 — 18.11.'87

TINAIGHAT

— deg. sec. sides ē semb + open grass
stunted + patchy.

12

7.1.88

25.1.88

THYAGILI (SIDDAPUR)

Sciaga forest on slopes ē Eucalyptus
> 20 yrs old, Cultivation + Hillsides +
a settlement

371

10.3.88

THENGINA GUNDI (BEACH)

23.11.'86

463

before marsh. Open beach ē Pandans bounding. A small flow of water (stagnant at 1 time) Harvested paddy fields (ground hat) & fishing villages. Grass on beach. Occasional rocks. Coconut plus bordering.

22.11.'86 ; 23.11.'86

18.9.'86; 22.11.'86;

THENGINA GUNDI (HEBBLE)

18.9.86

Marsh ē small strips of mangrove left; extensive stretches of backwaters.
a 2 km North of Bhatkal (deviation) further 6 km to the marsh. Fishing village.

464

DEVIMANE GHAT, (Pop 480 m y MSL)

20.10.'86. Left of 1 road → sirsi before the last hairpin bend. Dense forest, earlier preservation plot of forest dept. Except along a narrow path way for ca 500 m, logged. Tall & massive Callophyllum elutum trees freqt along the path. Kneoma attenuata abundant. Diospyros ebenum? freqt. Rest ē Tangles of Cane & Arenga. Perennial spring flowing down. Comparable to Anishighat.

349

350

20.10.86; 26.1.84*; 29.1.84*

14.10.87, 24.10.87, 7.2.88*

* Passing thro

AGADI (——— Kalgatgi (bandu))

126

Cultivation - extension - dry ē stagnant

ponds (seasonal)

16.11.'87

ĀNEGUNDI – BELANGI

347

From 1 road to river thro' 1 nursery ~~[illegible]~~
en route to Yam
degraded forest, good stand of seminegra ē native
trees & leafless sea deciduous forest.
Peak at Jt.

27. 4. 87; 5–6. 5. 87;
29. 3. 88

SIRSI, ~~Rapyi nagar~~ CES – ~~600 m MSL~~ ~~570~~ ~~600 m MSL~~

Generally a moist deciduous tract on plateau.

580 m MSL

320

NÄGAR PÄKKADI

– Cotton Trail – Madurahalli